

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413


Keef Root Beer


Batch ID or Lot Number: KRB 001	Test: Potency	Reported: 10May2023	USDA License: N/A
Matrix: Unit	Test ID: T000243658	Started: 10May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.178	0.505	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.163	0.462	ND	ND	
Cannabidiol (CBD)	0.507	1.319	ND	ND	
Cannabidiolic Acid (CBDA)	0.521	1.353	ND	ND	
Cannabidivarin (CBDV)	0.120	0.312	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.217	0.565	ND	ND	
Cannabigerol (CBG)	0.101	0.287	ND	ND	
Cannabigerolic Acid (CBGA)	0.423	1.199	ND	ND	
Cannabinol (CBN)	0.132	0.374	ND	ND	
Cannabinolic Acid (CBNA)	0.288	0.818	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.504	1.429	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.457	1.297	4.800	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.405	1.149	ND	ND	
Tetrahydrocannabivarin (THCV)	0.092	0.261	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.357	1.014	ND	ND	
Total Cannabinoids			4.800	0.00	
Total Potential THC			4.800	0.00	
Total Potential CBD			ND	ND	

Final Approval


PREPARED BY / DATE
Sam Smith
10May2023
01:52:00 PM MDT


APPROVED BY / DATE
Karen Winternheimer
10May2023
01:58:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/204539c7-1413-412d-a235-96d990e5cee6>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
204539c71413412da23596d990e5cee6.1