

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

Keef Orange Kush V1.3 BBT1 7/12/23

Batch ID or Lot Number: OK071223	Test: Potency	Reported: 13Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248925	Started: 13Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.153	0.494	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.140	0.452	ND	ND	
Cannabidiol (CBD)	0.489	1.256	ND	ND	
Cannabidiolic Acid (CBDA)	0.501	1.288	ND	ND	
Cannabidivarin (CBDV)	0.116	0.297	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.209	0.537	ND	ND	
Cannabigerol (CBG)	0.087	0.281	ND	ND	
Cannabigerolic Acid (CBGA)	0.363	1.174	ND	ND	
Cannabinol (CBN)	0.113	0.366	ND	ND	
Cannabinolic Acid (CBNA)	0.248	0.801	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.433	1.398	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.393	1.270	5.760	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.348	1.125	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.255	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.307	0.992	ND	ND	
Total Cannabinoids			5.760	0.00	
Total Potential THC			5.760	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
13Jul2023
02:52:00 PM MDT

PREPARED BY / DATE



Sam Smith
13Jul2023
02:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/157aaa21-3a1e-4ec0-ae7-738d58f6d224>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential
Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
157aaa213a1e4ec0ae7738d58f6d224.1