

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413

Keef Purple Passion V1 BBT5 7/12/23

Batch ID or Lot Number: KPP 002	Test: Potency	Reported: 13Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248926	Started: 13Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.152	0.492	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.139	0.450	ND	ND	
Cannabidiol (CBD)	0.486	1.249	ND	ND	
Cannabidiolic Acid (CBDA)	0.498	1.281	ND	ND	
Cannabidivarin (CBDV)	0.115	0.295	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.208	0.534	ND	ND	
Cannabigerol (CBG)	0.086	0.279	ND	ND	
Cannabigerolic Acid (CBGA)	0.361	1.167	ND	ND	
Cannabinol (CBN)	0.113	0.364	ND	ND	
Cannabinolic Acid (CBNA)	0.246	0.796	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.430	1.390	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.391	1.262	4.750	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.346	1.118	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.254	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.305	0.986	ND	ND	
Total Cannabinoids			4.750	0.00	
Total Potential THC			4.750	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
13Jul2023
02:52:00 PM MDT

PREPARED BY / DATE



Sam Smith
13Jul2023
02:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/182ee4c9-76ae-4552-9674-013bc5a8b446>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
182ee4c976ae45529674013bc5a8b446.1