

Prepared for:
INDEED BREWING COMPANY

711 15TH AVE NE STE 102
MINNEAPOLIS, MN USA 55413


Keef Cola V1

Batch ID or Lot Number: KCC002	Test: Potency	Reported: 03May2024	USDA License: N/A
Matrix: Unit	Test ID: T000279716	Started: 03May2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03May2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.137	0.466	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.125	0.426	ND	ND	
Cannabidiol (CBD)	0.428	1.246	ND	ND	
Cannabidiolic Acid (CBDA)	0.439	1.278	ND	ND	
Cannabidivarin (CBDV)	0.101	0.295	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.183	0.533	ND	ND	
Cannabigerol (CBG)	0.078	0.264	0.310	0.00	
Cannabigerolic Acid (CBGA)	0.325	1.105	ND	ND	
Cannabinol (CBN)	0.101	0.345	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.222	0.754	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.387	1.317	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.351	1.196	9.490	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.311	1.059	ND	ND	
Tetrahydrocannabivarin (THCV)	0.071	0.240	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.275	0.934	ND	ND	
Total Cannabinoids			9.800	0.00	
Total Potential THC			9.490	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
03May2024
03:14:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
03May2024
03:16:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/cdfea2eb-2938-47aa-a87d-e7a9b06d1663>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
cdfea2eb293847aaa87de7a9b06d1663.1